

Page 1/9

Tel.: +49 (0)800 4372522

## Safety data sheet according to 1907/2006/EC, Article 31

Printing date 16.11.2022 Version number 4 (replaces version 3) Revision: 16.11.2022

# SECTION 1: Identification of the substance/mixture and of the company/ undertaking

- · 1.1 Product identifier
  - · Trade name: Gluma Desensitizer
- · 1.2 Relevant identified uses of the substance or mixture and uses advised against No further relevant information available.
  - · Application of the substance / the mixture For desensitisation of teeth
- · 1.3 Details of the supplier of the safety data sheet
  - Manufacturer/Supplier:

Kulzer GmbH

Leipziger Straße 2, 63450 Hanau (Germany)

· Informing department: E-Mail: msds@kulzer-dental.com

· 1.4 Emergency telephone number: Emergency CONTACT (24-Hour-Number): +49 (0)6132-84463

#### SECTION 2: Hazards identification

- 2.1 Classification of the substance or mixture
  - Classification according to Regulation (EC) No 1272/2008

Acute Tox. 4 H332 Harmful if inhaled.

H314 Causes severe skin burns and eye damage. Skin Corr. 1B

Eve Dam. 1 H318 Causes serious eye damage.

H334 May cause allergy or asthma symptoms or breathing difficulties if Resp. Sens. 1

inhaled.

Skin Sens. 1 H317 May cause an allergic skin reaction. STOT SE 3 H335 May cause respiratory irritation.

Aquatic Chronic 3 H412 Harmful to aquatic life with long lasting effects.

· 2.2 Label elements

Labelling according to Regulation (EC) No 1272/2008

The product is classified and labelled according to the GB CLP regulation.

Hazard pictograms







GHS05 GHS07 GHS08

- · Signal word Danger
- · Hazard-determining components of labelling:

2-hydroxyethyl methacrylate

· Hazard statements

H332 Harmful if inhaled.

H314 Causes severe skin burns and eye damage.

H334 May cause allergy or asthma symptoms or breathing difficulties if inhaled.

H317 May cause an allergic skin reaction.

H335 May cause respiratory irritation.

H412 Harmful to aquatic life with long lasting effects.

Precautionary statements

P261 Avoid breathing mist/vapours/spray. P273 Avoid release to the environment.

P280 Wear protective gloves/protective clothing/eye protection/face protection.

(Contd. on page 2)



Page 2/9

# Safety data sheet according to 1907/2006/EC, Article 31

Printing date 16.11.2022 Version number 4 (replaces version 3) Revision: 16.11.2022

Trade name: Gluma Desensitizer

(Contd. of page 1)

P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remové

contact lenses, if present and easy to do. Continue rinsing.

P333+P313 If skin irritation or rash occurs: Get medical advice/attention.

P342+P311 If experiencing respiratory symptoms: Call a POISON CENTER/doctor.

· 2.3 Other hazards -

Results of PBT and vPvB assessment

· **PBT:** Not applicable. · **vPvB:** Not applicable.

# SECTION 3: Composition/information on ingredients

- · 3.2 Mixtures
  - · Description: -

· Dangerous components:			
CAS: 868-77-9 EINECS: 212-782-2	2-hydroxyethyl methacrylate Skin Irrit. 2, H315; Eye Irrit. 2, H319; Skin Sens. 1, H317	25-50%	
CAS: 111-30-8	glutaral Acute Tox. 3, H301; Acute Tox. 2, H330 Resp. Sens. 1, H334 Skin Corr. 1B, H314 Aquatic Acute 1, H400; Aquatic Chronic 2, H411 Skin Sens. 1A, H317; STOT SE 3, H335 EUH071 Specific concentration limit: STOT SE 3; H335: C ≥ 0.5 %	5-10%	

<sup>·</sup> Additional information For the wording of the listed hazard phrases refer to section 16.

## SECTION 4: First aid measures

- · 4.1 Description of first aid measures
  - · After inhalation Supply fresh air; consult doctor in case of symptoms.
  - · After skin contact

Instantly rinse with water.

If skin irritation continues, consult a doctor.

· After eye contact

Rinse opened eye for several minutes under running water. Then consult doctor.

After swallowing

Rinse out mouth and then drink plenty of water.

In case of persistent symptoms consult doctor.

4.2 Most important symptoms and effects, both acute and delayed

No further relevant information available.

· 4.3 Indication of any immediate medical attention and special treatment needed

No further relevant information available.

#### SECTION 5: Firefighting measures

- · 5.1 Extinguishing media
  - · Suitable extinguishing agents

CO2, extinguishing powder or water jet. Fight larger fires with water jet or alcohol-resistant foam.

5.2 Special hazards arising from the substance or mixture

Formation of toxic gases is possible during heating or in case of fire.

5.3 Advice for firefighters

· Protective equipment: Put on breathing apparatus.

(Contd. on page 3)



Page 3/9

# Safety data sheet according to 1907/2006/EC, Article 31

Printing date 16.11.2022 Version number 4 (replaces version 3) Revision: 16.11.2022

Trade name: Gluma Desensitizer

· Additional information -

(Contd. of page 2)

### SECTION 6: Accidental release measures

- · 6.1 Personal precautions, protective equipment and emergency procedures Not required.
- 6.2 Environmental precautions: No special measures required.
- 6.3 Methods and material for containment and cleaning up:

Absorb with liquid-binding material (diatomite, universal binders, for small amounts tissues).

Dispose of contaminated material as waste according to item 13.

Send for recovery or disposal in suitable containers.

6.4 Reference to other sections

See Section 13 for information on disposal.

See Section 8 for information on personal protection equipment.

\_

## SECTION 7: Handling and storage

· 7.1 Precautions for safe handling

Keep containers tightly sealed.

Wear protective equipment. Keep unprotected persons away.

Ensure good ventilation/exhaustion at the workplace.

- Information about protection against explosions and fires: No special measures required.
- · 7.2 Conditions for safe storage, including any incompatibilities
  - Storage
    - · Requirements to be met by storerooms and containers: No special requirements.
    - Information about storage in one common storage facility: Not required.
    - · Further information about storage conditions: None.
- · 7.3 Specific end use(s) No further relevant information available.

## SECTION 8: Exposure controls/personal protection

· 8.1 Control parameters

#### 111-30-8 glutaral

MEL () Short-term value: 0.2 mg/m³, 0.05 ppm

Long-term value: 0.2 mg/m³, 0.05 ppm

Sen

OES () Short-term value: 0.7 mg/m³, 0.2 ppm

· DNELs

#### 868-77-9 2-hydroxyethyl methacrylate

Dermal worker industrial, long term, systemic 1.3 mg/Kg/d (not defined) Inhalative worker industrial, long term, systemic 4.9 mg/m3 (not defined)

· PNECs

### 868-77-9 2-hydroxyethyl methacrylate

freshwater 0.482 mg/l (not defined)
sewage treatment plant 10 mg/l (not defined)
sediment, dry weight, freshwater 3.79 mg/Kg (not defined)
soil, dry weight 0.476 mg/Kg (not defined)

(Contd. on page 4)



Page 4/9

## Safety data sheet according to 1907/2006/EC, Article 31

Printing date 16.11.2022

Version number 4 (replaces version 3)

Trade name: Gluma Desensitizer

(Contd. of page 3)

Revision: 16.11.2022

• Additional information: The lists that were valid during the compilation were used as basis.

#### · 8.2 Exposure controls

Appropriate engineering controls No further data; see item 7.

Individual protection measures, such as personal protective equipment

### General protective and hygienic measures

Keep away from foodstuffs, beverages and food. Instantly remove any soiled and impregnated garments.

Wash hands during breaks and at the end of the work.

Avoid contact with the eyes and skin.

#### · Breathing equipment:

Not neccessary with efficient local exhaust. If exposition to vapours is possible, use breathing protective mask (filter A).

#### Hand protection

The glove material has to be impermeable and resistant to the product/ the substance/ the preparation.

Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation

If skin contact cannot be avoided, protective gloves are recommended to avoid possible sensitization.

Solvent resistant gloves

Check protective gloves prior to each use for their proper condition.

recommended

#### Material of gloves

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application.

#### Penetration time of glove material

The exact break trough time has to be found out by the manufacturer of the protective gloves and has to be observed.

For the permanent contact of a maximum of 15 minutes gloves made of the following materials are suitable:

Butyl rubber, BR

Nitrile rubber, NBR

## · Eye/face protection

Before use, put on the protective goggles and cover the patient's eyes to protect against splashes of material.

Tightly sealed safety glasses.

· Body protection: Light weight protective clothing

## SECTION 9: Physical and chemical properties

### · 9.1 Information on basic physical and chemical properties

General Information

· Physical state Fluid · Colour: Colourless · Smell: Aromatic

Odour threshold: Not determined. Not determined • Melting point/freezing point:

Boiling point or initial boiling point and

boiling range Not determined · Flammability Not applicable.

(Contd. on page 5)



Page 5/9

# Safety data sheet according to 1907/2006/EC, Article 31

Printing date 16.11.2022 Version number 4 (replaces version 3) Revision: 16.11.2022

Void

Void

Void

Void

Void

Void

Void

Void

Trade name: Gluma Desensitizer

Lower:

Upper:

dynamic: Solubility

Steam pressure:

Density at 20 °C

Relative density

· Vapour density

Self-inflammability:

Change in condition Evaporation rate

> · Explosives · Flammable gases

· Aerosols

Explosive properties:

· Oxidising gases · Gases under pressure

Flammable liquids

Flammable solids

· Pyrophoric liquids

Pyrophoric solids

Oxidising liquids

· Organic peroxides

· Corrosive to metals

· Desensitised explosives

Oxidising solids

Water:

· 9.2 Other information

Appearance: Form:

classes

· Flash point:

SADT

pH Viscosity:

· Lower and upper explosion limit

Decomposition temperature:

Kinematic viscosity

Density and/or relative density

Important information on protection of health and environment, and on safety.

· Information with regard to physical hazard

· Self-reactive substances and mixtures

· Self-heating substances and mixtures

Substances and mixtures, which emit flammable gases in contact with water

· Partition coefficient n-octanol/water (log

(Contd. of page 4) Not determined. Not determined. 106 °C (868-77-9 2-hydroxyethyl methacrylate) Not determined. Not determined. Not determined. Not determined. Not miscible or difficult to mix Not determined. Not determined. 1.16 g/cm3 Not determined. Not determined. No further relevant information available. Fluid gel Product is not selfigniting. Product is not explosive. Not determined. Void Void Void Void Void Void Void Void Void



Page 6/9

## Safety data sheet according to 1907/2006/EC, Article 31

Printing date 16.11.2022 Version number 4 (replaces version 3) Revision: 16.11.2022

Trade name: Gluma Desensitizer

(Contd. of page 5)

# SECTION 10: Stability and reactivity

- · 10.1 Reactivity No further relevant information available.
- · 10.2 Chemical stability
  - Conditions to be avoided: No decomposition if used and stored according to specifications.
- · 10.3 Possibility of hazardous reactions No dangerous reactions known
- · 10.4 Conditions to avoid No further relevant information available.
- · 10.5 Incompatible materials: No further relevant information available.
- · 10.6 Hazardous decomposition products: None

## SECTION 11: Toxicological information

· 11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008

Acute toxicity

Harmful if inhaled.

· LD/LC50 values that are relevant for classification.
--

LD50 >2,000 mg/kg (rat) Oral

#### 868-77-9 2-hydroxyethyl methacrylate

Oral LD50 5,564 mg/kg (rat) Dermal LD50 >5,000 mg/kg (can)

#### 111-30-8 glutaral

LD50 77 mg/kg (rat)

Skin corrosion/irritation

Causes severe skin burns and eye damage.

Serious eye damage/irritation

Causes sérious eye damage.

Respiratory or skin sensitisation

May cause allergy or asthma symptoms or breathing difficulties if inhaled. May cause an allergic skin reaction.

- Germ cell mutagenicity Based on available data, the classification criteria are not met.
- Carcinogenicity Based on available data, the classification criteria are not met.
- Reproductive toxicity Based on available data, the classification criteria are not met.
- STOT-single exposure

May cause respiratory irritation.

- STOT-repeated exposure Based on available data, the classification criteria are not met.
- Aspiration hazard Based on available data, the classification criteria are not met.
- 11.2 Information on other hazards
  - Endocrine disrupting properties

None of the ingredients is listed.

### SECTION 12: Ecological information

· 12.1 Toxicity

· Aquatic toxicity:

#### 868-77-9 2-hydroxyethyl methacrylate

380 mg/l (daphnia) EC50/48h LC50/96h >100 mg/l (fish) EC50 >3,000 mg/l (bacteria) NOEC / 21d 24.1 mg/l (daphnia)

(Contd. on page 7)



Page 7/9

# Safety data sheet according to 1907/2006/EC, Article 31

Printing date 16.11.2022

Version number 4 (replaces version 3)

Revision: 16.11.2022

# Trade name: Gluma Desensitizer

(Contd. of page 6)

ErC50 / 72 h 836 mg/l (algae)

NOEC / 72h | 400 mg/l (algae) (OECD 201)

- 12.2 Persistence and degradability No further relevant information available.
- · 12.3 Bioaccumulative potential No further relevant information available.
- · 12.4 Mobility in soil No further relevant information available.
- · 12.5 Results of PBT and vPvB assessment
  - · PBT: Not applicable.
  - vPvB: Not applicable.
- 12.6 Endocrine disrupting properties

For information on endocrine disrupting properties see section 11.

- · 12.7 Other adverse effects
  - · Additional ecological information:
    - · General notes:

Do not allow product to reach ground water, water bodies or sewage system, even in small quantities

Danger to drinking water if even extremely small quantities leak into soil.

## SECTION 13: Disposal considerations

- · 13.1 Waste treatment methods
  - · Recommendation

Must not be disposed of together with household garbage. Do not allow product to reach sewage system.

- · Waste disposal key number: 52102
- · Uncleaned packagings:
  - Recommendation: Disposal must be made according to official regulations.

## **SECTION 14: Transport information**

· 14.1 UN number or ID number	
· ADR IMDG IATA	

· 14.2 UN proper shipping name

IMDG, IATA

CORROSIVE LIQUID, ACIDIC, ORGANIC, N.O.S. (glutaral)

· 14.3 Transport hazard class(es)

· ADR



· Class · Label 8 (C3) Corrosive substances.

8

UN3265

(Contd. on page 8)

GB ·



Page 8/9

# Safety data sheet according to 1907/2006/EC, Article 31

Printing date 16.11.2022

Version number 4 (replaces version 3)

Revision: 16.11.2022

# Trade name: Gluma Desensitizer

	(Contd. of page
· IMDG, IATA	
· Class · Label	8 Corrosive substances. 8
· 14.4 Packing group · ADR, IMDG, IATA	II
· 14.5 Environmental hazards: · Marine pollutant:	No
· 14.6 Special precautions for user · Kemler Number: · EMS Number: · Segregation groups · Stowage Category · Stowage Code	Warning: Corrosive substances. 80 F-A,S-B Acids B SW2 Clear of living quarters.
· 14.7 Maritime transport in bulk accordi IMO instruments	ing to Not applicable.
· Transport/Additional information:	-
· ADR · Limited quantities (LQ) · Excepted quantities (EQ)	1L Code: E2 Maximum net quantity per inner packaging 30 ml Maximum net quantity per outer packaging 500 ml
· Transport category · Tunnel restriction code	2 E
· IMDG · Limited quantities (LQ) · Excepted quantities (EQ)	1L Code: E2 Maximum net quantity per inner packaging 30 ml Maximum net quantity per outer packaging 500 ml
UN "Model Regulation":	Void

# SECTION 15: Regulatory information

- · 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture
- No further relevant information available.
- · 15.2 Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

\_\_



Page 9/9

## Safety data sheet according to 1907/2006/EC, Article 31

Printing date 16.11.2022

Version number 4 (replaces version 3)

Revision: 16.11.2022

Trade name: Gluma Desensitizer

(Contd. of page 8)

#### **SECTION 16: Other information**

These data are based on our present knowledge. However, they shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

Relevant phrases

H301 Toxic if swallowed.

H314 Causes severe skin burns and eye damage.

H315 Causes skin irritation.

May cause an allergic skin reaction. H317

H319 Causes serious eye irritation.

H330 Fatal if inhaled.

H334 May cause allergy or asthma symptoms or breathing difficulties if inhaled.

H335 May cause respiratory irritation.

H400 Very toxic to aquatic life.

H411 Toxic to aquatic life with long lasting effects.

EUH071 Corrosive to the respiratory tract.

#### Abbreviations and acronyms:

SADT: Self Accelerating Decomposition Temperature
ADR: Accord relatif au transport international des marchandises dangereuses par route (European Agreement Concerning the International Carriage of Dangerous Goods by Road)

IMDG: International Maritime Code for Dangerous Goods

IATA: International Air Transport Association

GHS: Globally Harmonised System of Classification and Labelling of Chemicals

EINECS: European Inventory of Existing Commercial Chemical Substances ELINCS: European List of Notified Chemical Substances

CAS: Chemical Abstracts Service (division of the American Chemical Society)
DNEL: Derived No-Effect Level (UK REACH)
PNEC: Predicted No-Effect Concentration (UK REACH)
LC50: Lethal concentration, 50 percent
LD50: Lethal dose, 50 percent

PBT: Persistent, Bioaccumulative and Toxic

PBT: Persistent, Bioaccumulative and Toxic vPvB: very Persistent and very Bioaccumulative Acute Tox. 3: Acute toxicity — Category 3 Acute Tox. 2: Acute toxicity — Category 2 Acute Tox. 4: Acute toxicity — Category 4 Skin Corr. 1B: Skin corrosion/irritation — Category 1B Skin Irrit. 2: Skin corrosion/irritation — Category 2 Eye Dam. 1: Serious eye damage/eye irritation — Category 1 Eye Irrit. 2: Serious eye damage/eye irritation — Category 2 Resp. Sens. 1: Respiratory sensitisation — Category 1 Skin Sens. 1: Skin sensitisation — Category 1 Skin Sens. 14: Skin sensitisation — Category 1 A

Skin Sens. 1A: Skin sensitisation - Category 1A

STOT SE 3: Specific target organ toxicity (single exposure) – Category 3

Aquatic Acute 1: Hazardous to the aquatic environment - acute aquatic hazard – Category 1

Aquatic Chronic 2: Hazardous to the aquatic environment - long-term aquatic hazard – Category 2

Aquatic Chronic 3: Hazardous to the aquatic environment - long-term aquatic hazard – Category 3

\* Data compared to the previous version altered.